

Observations on
soy(genistein) on length of
bowel tract, & how shorter
bowel tracts get less
cancer...Or something like
that...

Shorthand notes:

licorice root (Copper) &
coffee enemas causing
shorter bowel tract...
(observations)

shorter bowel tract=
avoidance of cancers(asian
leopard cat, bengal cats
U C Davis study)

glp-2 (new research
describes this substance)
yeast soy (correlated to
glp-2)
short bowel syndrome

(target of study- fixing malabsorption)

["Anti-diabetic functions of soy isoflavone genistein: mechanisms underlying ...
https://
www.ncbi.nlm.nih.gov >
articles](https://www.ncbi.nlm.nih.gov/articles)

by ER Gilbert · 2013 · [Cited by 98](#) · [Related articles](#)

This effect of genistein is as potent as that of incretin hormone glucagon-like peptide-1, the most potent insulinotropic hormone found to date"

Glucagon-like peptide 2 similar to soy isoflavones genistein...

If soy(phosphorus /

estrogen) increases length of
bowel, then its opposite
Copper shortens it...

Short bowel syndrome
caused by Copper family...

Bengal cats don't get
leukaemia due to hiding
behaviour & shorter bowel
tract...(wilder behaviour
too)

Shorter bowel tract is
increased Copper, lowered
Phosphorus...

Shorter bowel tract avoids
cancer(toxins dump
faster)...

To lengthen bowel tract,
take soy isoflavones (or
some permutation)...

Longer bowel tract, in public often behaviour, soy eating, associated with cancer...

Soy is good for malabsorption caused by surgical procedures on bowel...

" [Protective effect of genistein on radiation-induced intestinal injury in ...](https://www.ncbi.nlm.nih.gov/articles)
[https://www.ncbi.nlm.nih.gov > articles](https://www.ncbi.nlm.nih.gov/articles)

by TG Son · 2013 · [Cited by 21](#) · [Related articles](#)

May 14, 2013 · Genistein, a multifunctional soy isoflavone, is a The length of the 10 longest villi, crypts, and basal lamina of

10 ... Irradiation increased the expression of apoptotic nuclei in ..."

But may trigger cancer if overdosed...